

McGraw-Hill
Field Manuals

FIELD ENGINEER'S MANUAL

Third Edition

**Includes expanded sections
and updated information**

**New sections on sewage treatment,
water supply, and fire protection**

**Contains mathematical formulas
and general conversion tables**



* S K N 0 0 5 1 8 4 *

ROBERT O. PARMLEY, P.E.

624
1256

Field Engineer's Manual

Third Edition

ROBERT O. PARMLEY, P.E.

Editor-in-Chief

THƯ VIỆN TRƯỜNG ĐHSPT
SKN 005184

GIFT OF THE ASIA FOUNDATION
NOT FOR RE-SALE
QUÀ TẶNG CỦA QUỸ CHÂU Á
KHÔNG ĐƯỢC BÁN LẠI

McGraw-Hill

New York San Francisco Washington, D.C. Auckland Bogotá
Caracas Lisbon London Madrid Mexico City Milan Montreal
New Delhi San Juan Singapore Sydney Tokyo Toronto

Contents

| | |
|---------------------------------|--------|
| Preface to Third Edition | XXXIII |
| Preface to Second Edition | XXXV |
| Preface to First Edition | XXXVII |

Section One Field Inspection

| | | |
|------------|--|------|
| § 1•1 | Qualifications | 1•2 |
| § 1•2 | Responsibility | 1•2 |
| § 1•3 | Authority | 1•3 |
| § 1•4 | Basic Duties | 1•3 |
| § 1•5 | Inspector's Guides | 1•4 |
| § 1•6 | Safety | 1•5 |
| Table 1•1 | Event Calendar | 1•6 |
| Table 1•2 | Inspector's Equipment List | 1•9 |
| Table 1•3 | Miscellaneous Nomenclature | 1•10 |
| Figure 1•1 | Form Nomenclature | 1•11 |
| Figure 1•2 | Falsework Nomenclature | 1•12 |
| Figure 1•3 | Bearing Piles Nomenclature | 1•13 |
| § 1•7 | Collecting Concrete Samples | 1•14 |
| Figure 1•4 | Report Form of Concrete Compressive Strength | 1•15 |
| Figure 1•5 | Nuclear Testing Field Data Sheet | 1•16 |
| Figure 1•6 | Nuclear Testing Data Spreadsheet | 1•17 |
| § 1•8 | Glossary of Crane and Derrick Terms | 1•18 |
| Figure 1•7 | Contractor's Application for Payment | 1•31 |

Section Two Mathematical Data and Formulas

| | | |
|------------|---|------|
| Table 1•1 | Area Formulas | 2•2 |
| Figure 2•1 | Properties of the Circle | 2•3 |
| Table 2•2 | Finding Surface and Volumes of Solids | 2•4 |
| Table 2•3 | Equations for Plane Ellipse | 2•8 |
| Table 2•4 | Equations for Plane Parabola | 2•10 |
| Figure 2•2 | Properties of Parabola and Ellipse | 2•12 |

| | | |
|------------|---|------|
| Table 2•5 | Length of Circular Arcs for Unit Radius | 2•13 |
| Table 2•6 | Equations for Spherical Area and Volume | 2•14 |
| Table 2•7 | Trigonometric Formulas | 2•16 |
| Table 2•8 | Properties of Geometric Sections | 2•17 |
| Figure 2•3 | Volume and Center of Gravity (CG) | 2•23 |
| Table 2•9 | Important Constants | 2•31 |
| Table 2•10 | Glossary of Mathematical Symbols | 2•32 |

Section Three

General Conversion Tables

| | | |
|------------|---|------|
| Table 1•1 | Length | 3•2 |
| Table 3•2 | Area | 3•3 |
| Table 3•3 | Volume and Capacity | 3•4 |
| Table 3•4 | Weight (Mass) | 3•5 |
| Table 3•5 | Pressure | 3•6 |
| Table 3•6 | Flowing Water | 3•6 |
| Table 3•7 | Miscellaneous Measurements (Temperature, Circular Measuring, Time Measure, Ice and Snow) | 3•7 |
| Table 3•8 | Areas of Plane Figures | 3•8 |
| Table 3•9 | Trigonometric Formulas | 3•9 |
| Table 3•10 | Areas of Circles | 3•10 |
| Table 3•11 | Slope in Inches Reduced to Feet | 3•11 |
| Table 3•12 | Frequently Used Conversion Factors | 3•12 |
| Table 3•13 | General Conversion Factors | 3•13 |
| Table 3•14 | English: Greek Alphabet | 3•21 |
| Table 3•15 | Morse Code | 3•22 |
| Table 3•16 | International Telecommunication Phonetic Alphabet | 3•23 |

Section Four

The Metric System of Units (SI)

| | | |
|-----------|--|------|
| Table 4•1 | Basic SI Units | 4•2 |
| Table 4•2 | Prefixes for SI Units | 4•2 |
| Table 4•3 | SI Derived Units Used in Civil and Mechanical Engineering | 4•3 |
| Table 4•4 | Derived Units of the International System | 4•4 |
| Table 4•5 | Conversion Factors as Exact Numerical Multiples of SI Units | 4•6 |
| Table 4•6 | Listing of Conversion Factors by Physical Quantity | 4•11 |

Section Five

Construction Materials and Data

| | | |
|------------|--|------|
| Table 5•1 | Weights and Specific Gravities | 5•2 |
| Table 5•2 | Weights of Building Materials | 5•4 |
| Table 5•3 | Wire and Sheet Metal Gages | 5•5 |
| Table 5•4 | Square and Round Bars—Weight and Area | 5•6 |
| Table 5•5 | Weights and Areas of Steel Bars | 5•8 |
| Table 5•6 | Weights of Steel Bars or Plates in Pounds per Linear Foot | 5•9 |
| Table 5•7 | Wide Flange Beams | 5•10 |
| Table 5•8 | Properties of Section of Solid-Swan Wood | 5•12 |
| Table 5•9 | Safe Loads for Timber Columns | 5•16 |
| Table 5•10 | Lumber Converted to Board Feet | 5•17 |
| Table 5•11 | Framing Estimating Rules of Thumb | 5•18 |
| Table 5•12 | Safe Loads for Structural Lumber | 5•19 |
| Figure 5•1 | Methods for Laying Out and Sawing Timber | 5•20 |
| Figure 5•2 | Types of Nails | 5•21 |
| Figure 5•3 | Common Wire Nails | 5•22 |
| Table 5•13 | Nails (Lathing; Wire Spikes; Floor Brads; Shingle; Double-Headed; and Plasterboard) | 5•23 |
| Table 5•14 | Concrete Materials per Cubic Yard | 5•25 |
| Figure 5•4 | Architectural Wall Patterns for Masonry Units (Bonds) | 5•26 |
| Table 5•15 | Bearing Capacity of Soils | 5•28 |
| Figure 5•5 | Wire Rope | 5•29 |
| Figure 5•6 | Measuring Wire Rope Diameter | 5•30 |
| Table 5•16 | Sample Specification for Site Restoration: Seeding | 5•31 |
| Table 5•17 | Weights of Grains, Feed and Seeds | 5•32 |

Section Six

Athletic Facilities

| | | |
|------------|---|-----|
| Figure 6•1 | Collegiate and High School Basketball Court | 6•2 |
| Figure 6•2 | Fan Shaped and Rectangular Backboards | 6•3 |
| Figure 6•3 | One-Wall Handball Court Layout with Elevation View | 6•4 |
| Figure 6•4 | Three- and Four-Wall Handball Court Layouts | 6•5 |
| Figure 6•5 | Horseshoe Court Layout with Details | 6•6 |
| Figure 6•6 | Ice Hockey Rink Layout with Isometric of Goal | 6•7 |
| Figure 6•7 | Shuffleboard Court Layout with Marking Details | 6•8 |
| Figure 6•8 | Tennis Court Layout with Net Detail | 6•9 |

| | | |
|-------------|--|------|
| Figure 6•9 | Volleyball Court Layout with Net Detail | 6•10 |
| Figure 6•10 | Baseball Diamond Layout with Home Plate and Pitcher's Mound Details | 6•11 |
| Figure 6•11 | Little League Baseball Playing Field Layout with Home Plate Detail | 6•12 |
| Figure 6•12 | Field Hockey Layout with Goal Detail | 6•13 |
| Figure 6•13 | Eleven-Man Football Playing Field Layout with Goal Post Detail | 6•14 |
| Figure 6•14 | Golf Driving Range with Tee Details | 6•15 |
| Figure 6•15 | Men's Lacrosse Playing Field Layout with Flag and Goal Details | 6•16 |
| Figure 6•16 | Women's Lacrosse Playing Field Layout with Flag and Goal Details | 6•17 |
| Figure 6•17 | Men's and Boys' Soccer Field Layout with Flag and Goal Post Details | 6•18 |
| Figure 6•18 | Women's and Girls' Soccer Field Layout with Flag and Goal Post Details | 6•19 |
| Figure 6•19 | Softball Diamond (12-in) Layout with Home Plate Detail | 6•20 |
| Figure 6•20 | Softball Diamond (16-in) Layout with Home Plate Detail | 6•21 |
| Figure 6•21 | Team-Handball Playing Field Layout with Goal Posts and Crossbar | 6•22 |
| Figure 6•22 | One-Quarter-Mile Running Track | 6•23 |
| Figure 6•23 | Lane Marking Details (1/4-Mile Running Track) with Typical Track Section | 6•24 |
| Figure 6•24 | Markings for 120- and 220-Yard Hurdles | 6•25 |
| Figure 6•25 | Two-Turn Stagger Lines and 440-Yard Hurdle markings (1/4-Mile Running Track) | 6•26 |
| Figure 6•26 | Relay Zone Markings—440- and 880-Yard Relays (1/4-Mile Running Track) | 6•27 |
| Figure 6•27 | Shot Put Sector Layout with Throw Circle, Stop Board, and Flag Detail | 6•28 |
| Figure 6•28 | Hammer Throw Sector Layout with Throw Circle, Throwing Cage, and Notes | 6•29 |
| Figure 6•29 | Discus Throw Sector Layout with Throw Circle and Details | 6•30 |
| Figure 6•30 | Javelin Throw Layout | 6•31 |
| Figure 6•31 | Long Jump and Triple Jump Layout | 6•32 |
| Figure 6•32 | Pole Vault layout with Details | 6•33 |
| Figure 6•33 | High Jump Layout with Details | 6•34 |
| Figure 6•34 | 400-Meter Events | 6•35 |
| Table 6•1 | Field Measurements for 400-Meter Tracks | 6•36 |
| Figure 6•35 | Conversion Computation | 6•37 |
| Figure 6•36 | Metric Conversion | 6•38 |
| Figure 6•37 | Pavement Extension | 6•38 |

| | | |
|-------------|--|------|
| Figure 6•38 | Radius Monument | 6•39 |
| Figure 6•39 | Runways Inside Curve | 6•40 |
| Figure 6•40 | Runways on Back Straight | 6•41 |
| Figure 6•41 | Track with No Interior Playing Field | 6•42 |
| Figure 6•42 | Track/Playing Field Configuration | 6•43 |
| Figure 6•43 | International Broken-Back Curve | 6•44 |
| Table 6•2 | Track Surfacing Evaluation | 6•45 |
| Figure 6•44 | Water Jump and Hurdle Measurements | 6•46 |
| Figure 6•45 | I.S.U. Automatic Trap Field Layout with Shotfall Danger Zone | 6•47 |
| Figure 6•46 | Skeet Field Layout with Shotfall Danger Zone | 6•48 |
| Figure 6•47 | Trap Field Layout with Shotfall Danger Zone | 6•49 |
| Figure 6•48 | Combination Skeet and Trap Field Layout with Shotfall Danger Zone | 6•50 |
| Figure 6•49 | Archery Target Range with Details | 6•51 |
| Figure 6•50 | Typical High Fence | 6•52 |

Section Seven

Electrical Information

| | | |
|-------------|---|------|
| § 7•1 | Electrical Units | 7•3 |
| Table 7•1 | Electrical Units Tabulation and Summary | 7•3 |
| § 7•2 | Electric Circuits | 7•4 |
| Figure 7•1 | DC Series Circuits | 7•4 |
| Figure 7•2 | AC Series Circuits | 7•5 |
| Figure 7•3 | Parallel Circuit | 7•6 |
| Figure 7•4 | AC Series-Parallel Circuit | 7•6 |
| § 7•3 | Three-Phase Power | 7•7 |
| Figure 7•5 | Graphs of AC Voltages vs. Time; (a) 1 ϕ Voltage; (b) 3 ϕ Voltage | 7•7 |
| Figure 7•6 | Y-Connected Generator | 7•7 |
| Figure 7•7 | Delta-Connected Generator | 7•8 |
| Figure 7•8 | Unbalanced 3 ϕ Circuit | 7•9 |
| Figure 7•9 | Star-Delta Transformation | 7•10 |
| § 7•4 | Electric Power Transmission | 7•10 |
| Figure 7•10 | Simplified Transmission System | 7•11 |
| Table 7•2 | Typical Transmission-Line Data | 7•11 |
| Figure 7•11 | Typical Transmission Structures | 7•12 |
| § 7•5 | Overhead Distribution | 7•13 |
| Table 7•3 | Basic Minimum Clearances (feet) for Power and Other Electric Lines | 7•14 |
| Table 7•4 | Conductor Characteristics | 7•15 |
| § 7•6 | Underground Distribution | 7•17 |

| | | |
|-------------|---|------|
| § 7•7 | Transformers | 7•17 |
| Figure 7•12 | Single-Phase Transformer Connections | 7•17 |
| Figure 7•13 | Three-Phase Transformer Banks | 7•18 |
| Figure 7•14 | Permitted Connections | 7•19 |
| Table 7•5 | Typical Transformer Data | 7•19 |
| Figure 7•15 | Service-Drop from Utility Transformer | 7•20 |
| Figure 7•16 | Mounting and Wiring of Distribution Transformers | 7•21 |
| § 7•8 | Inside Wiring | 7•21 |
| Table 7•6 | Wire and Sheet Metal Gage Comparisons | 7•22 |
| § 7•9 | Illumination | 7•23 |
| Table 7•7 | Typical Illumination Levels | 7•23 |
| Table 7•8 | Typical Fixture CU's | 7•23 |
| Table 7•9 | Lamp Characteristics | 7•24 |
| § 7•10 | Lighting Protection | 7•25 |
| Figure 7•17 | Characteristics of Strokes | 7•25 |
| Figure 7•18 | Typical Insulation Coordination | 7•26 |
| Figure 7•19 | Withstand Voltage of Air Gaps | 7•27 |
| Figure 7•20 | Shielding Dimensions | 7•28 |
| Figure 7•21 | Sidestroke Mechanism | 7•28 |
| § 7•11 | Emergency Power Sources | 7•29 |
| Table 7•10 | Engine Generator Characteristics | 7•29 |
| § 7•12 | Television | 7•30 |
| Figure 7•22 | Television Frequencies and Cable Losses | 7•30 |
| Table 7•11 | Typical Antenna Gains | 7•30 |
| § 7•13 | Conductors | 7•31 |
| Figure 7•23 | Makeups of Electrical Conductors | 7•31 |
| § 7•14 | Pole Construction Details and Guying | 7•34 |
| Figure 7•24 | Side-Arm Pole | 7•34 |
| Figure 7•25 | Buck-Armed Pole, Double Arm | 7•35 |
| Figure 7•26 | Junction Pole without Double Arms | 7•35 |
| Figure 7•27 | Single Crossarm Assembly | 7•36 |
| Figure 7•28 | Method of Turning Corner with One Pole | 7•36 |
| Figure 7•29 | Location of Circuits on a Two-Arm Pole | 7•36 |
| Figure 7•30 | Method of Arranging Double Arms | 7•37 |
| Figure 7•31 | Details of Self-Supporting Pole | 7•37 |
| Figure 7•32 | Bracing Poles | 7•38 |
| Figure 7•33 | Method of Setting a Pole with Pikes | 7•38 |
| Figure 7•34 | Gin Pole for Raising Poles | 7•38 |
| Figure 7•35 | Location of Pole Steps on Pole | 7•39 |
| Figure 7•36 | Pole Steps and Socket | 7•39 |
| Figure 7•37 | Poles Guyed to Stubs | 7•40 |
| Figure 7•38 | A Guy Rod and Anchor | 7•40 |

| | | |
|------------|---------------------------------------|------|
| Table 8•15 | Standard Keyways and Setscrews | 8•35 |
| § 8•1 | Conveyor Chain Working Load | 8•36 |
| § 8•2 | Roller Chain Formulas | 8•38 |
| § 8•3 | Horsepower and Torque | 8•40 |
| Table 8•16 | Application Formulas | 8•42 |
| § 8•4 | Speed Reducer Nomenclature | 8•43 |
| Table 8•17 | Screw Head Dimensions | 8•46 |
| Table 8•18 | Standards for Threads and Accessories | 8•47 |

Section Nine

Heating, Ventilating, and Air Conditioning

| | | |
|------------|--|------|
| Table 9•1 | Basic Heating and Ventilating Formulas | 9•2 |
| Table 9•2 | Basic Heating Data | 9•3 |
| Table 9•3 | Rule of Thumb Stream Data | 9•4 |
| Figure 9•1 | Typical Stream Heating Unit Heater Installation Diagram | 9•5 |
| Figure 9•2 | Typical Heating System with Boiler Unit | 9•6 |
| Figure 9•3 | Typical Oil-Fired Forced-Air Heating System | 9•7 |
| Figure 9•4 | Plan View of Electrically Heated Building with Service Entry and Heat Loss Calculation | 9•8 |
| Figure 9•5 | Basic Heat Loss Calculation Method for a Frame Wall | 9•10 |
| Figure 9•6 | Schematic Diagram of a Typical Residential Solar Heat System (Water-Cooled Collector) | 9•11 |

Section Ten

Structural

| | | |
|-------------|--|-------|
| Table 10-1 | Beam Diagrams and Formulas: Nomenclature . . . | 10-2 |
| Table 10-2 | Frequently Used Formulas for Beams | 10-3 |
| Figure 10-1 | Beam Diagrams and Formulas for Various Static Loading Conditions | 10-4 |
| Figure 10-2 | Beam Diagrams and Deflections for Various Static Loading Conditions | 10-16 |
| Figure 10-3 | Beam Diagrams and Formulas for Various Concentrated Moving Loads | 10-18 |
| Table 10-3 | Camber and Deflection Coefficients | 10-19 |
| Table 10-4 | Rivets and Threaded Fasteners ($\frac{5}{8}$ to 1 $\frac{1}{2}$ inch)—Tension | 10-20 |
| Table 10-5 | Rivets and Threaded Fasteners ($\frac{5}{8}$ to $\frac{3}{4}$ inch)—Shear | 10-21 |
| Table 10-6 | Rivets and Threaded Fasteners ($\frac{5}{8}$ to $\frac{3}{4}$ inch)—Bearing | 10-22 |
| Table 10-7 | Rivets and Threaded Fasteners ($\frac{7}{8}$ to 1 inch)—Shear | 10-23 |
| Table 10-8 | Rivets and Threaded Fasteners ($\frac{7}{8}$ to 1 inch)—Bearing | 10-24 |
| Table 10-9 | Rivets and Threaded Fasteners (1 $\frac{1}{8}$ to 1 $\frac{1}{4}$ inch)—Shear | 10-25 |
| Table 10-10 | Rivets and Threaded Fasteners (1 $\frac{1}{8}$ to 1 $\frac{1}{4}$ inch)—Bearing | 10-26 |
| Table 10-11 | Rivets and Threaded Fasteners (1 $\frac{3}{8}$ to 1 $\frac{1}{2}$ inch)—Shear | 10-27 |
| Table 10-12 | Rivets and Threaded Fasteners (1 $\frac{3}{8}$ to 1 $\frac{1}{2}$ inch)—Bearing | 10-28 |
| Figure 10-4 | Net Section of Tension Members | 10-29 |
| Table 10-13 | Rivets—Spacing | 10-30 |
| Table 10-14 | Threaded Fasteners: Bolt Heads | 10-31 |
| Table 10-15 | Threaded Fasteners: Nuts | 10-32 |
| Table 10-16 | Threaded Fasteners: Weight of Bolts | 10-33 |
| Table 10-17 | Threaded Fasteners: Weight of Bolts (Special Cases) | 10-34 |
| Table 10-18 | Threaded Fasteners: Weight of ASTM A325 or A490 High-Strength Bolts | 10-35 |
| Table 10-19 | Threaded Fasteners: Screw Threads | 10-36 |
| Figure 10-5 | Properties of Geometric Sections and Structural Shapes | 10-37 |
| Figure 10-6 | Bracing Formulas | 10-38 |
| Table 10-20 | Equal Strength Shafts and Pins of Similar Material | 10-39 |

| | | |
|-------------|--|-------|
| Figure 10•7 | Types of Wire Ties for Reinforcing Bars | 10•40 |
| Table 10•21 | Complete Elliptic Integrals K and E for Different Values of the Modulus k | 10•41 |

Section Eleven

Welding

| | | |
|--------------|---|-------|
| Figure 11•1 | Basic Weld Symbols | 11•2 |
| Figure 11•2 | Standard Location of Elements of a Welding Symbol | 11•3 |
| Figure 11•3 | Supplementary Symbols | 11•3 |
| § 11•1 | Notes for Illustrations of Prequalified Joints | 11•4 |
| § 11•2 | Legend for Illustrations of Prequalified Joints | 11•4 |
| Figure 11•4 | Square-Groove Weld and Butt Joint | 11•5 |
| Figure 11•5 | Single-V-Groove Weld, Butt Joint and Double-V-Groove Weld | 11•6 |
| Figure 11•6 | Single-Bevel-Groove Weld, Butt Joint, T-Joint and Corner Joint | 11•7 |
| Figure 11•7 | Single-U-Groove Weld, Butt Joint, Corner Joint and Double-U-Groove Weld | 11•8 |
| Figure 11•8 | Single-J-Groove Weld, Butt Joint, T-Joint and Corner Joint | 11•9 |
| Figure 11•9 | Double-J-Groove Weld, Butt Joint, T-Joint and Corner Joint | 11•10 |
| Figure 11•10 | Flare-Bevel-Groove Weld, Butt Joint, T-Joint and Corner Joint | 11•11 |
| Figure 11•11 | Square-Groove Weld and Butt Joint (Metric) | 11•12 |
| Figure 11•12 | Single-V-Groove, Butt Joint, Corner Joint and Double-V-Groove Weld (Metric) | 11•13 |
| Figure 11•13 | Single-Bevel-Groove Weld, Butt Joint, T-Joint, Corner Joint and Double-Bevel-Groove Weld (Metric) | 11•14 |
| Figure 11•14 | Single-U-Groove Weld, Butt Joint, Corner Joint and Double-U-Groove Weld | 11•15 |
| Figure 11•15 | Single-J-Groove Weld, Butt Joint, T-Joint and Corner Joint | 11•16 |
| Figure 11•16 | Double-J-Groove Weld, Butt Joint, T-Joint and Corner Joint (Metric) | 11•17 |
| Figure 11•17 | Flare-Bevel-Groove Weld, Butt Joint, T-Joint and Corner Joint (Metric) | 11•18 |
| Figure 11•18 | Square-Groove Weld, Butt Joint and Corner Joint (Metric) | 11•19 |
| Figure 11•19 | Square-Groove Weld, T-joint, Corner Joint, Single-V-Groove Weld and Butt Joint | 11•20 |
| Figure 11•20 | Single-V-Groove Weld, Corner Joint and Butt Joint | 11•21 |

| | | |
|--------------|---|-------|
| Figure 11•21 | Single-V-Groove Weld, Corner Joint, Double-V-Groove Weld and Butt Joint | 11•22 |
| Figure 11•22 | Double-V-Groove Weld, Butt Joint and Single-Bevel-Groove Weld | 11•23 |
| Figure 11•23 | Single-Bevel-Groove Weld, T-joint, Corner Joint and Butt Joint | 11•24 |
| Figure 11•24 | Double-Bevel-Groove Weld, Butt Joint, T-Joint and Corner Joint | 11•25 |
| Figure 11•25 | Single-U-Groove Weld, Butt Joint, Corner Joint, and Double-U-Groove Weld | 11•27 |
| Figure 11•26 | Single-J-Groove Weld, Butt Joint, T-Joint, and Corner Joint | 11•28 |
| Figure 11•27 | Double-J-Groove Weld, Butt Joint, T-Joint and Corner Joint | 11•29 |
| Figure 11•28 | Square-Groove Weld, Butt Joint and Corner Joint (Metric) | 11•30 |
| Figure 11•29 | Square-Groove Weld, T-Joint, Corner Joint, Single-V-Groove Weld, and Butt Joint (Metric) | 11•31 |
| Figure 11•30 | Single-V-Groove Weld, Corner Joint and Butt Joint (Metric) | 11•32 |
| Figure 11•31 | Single-V-Groove Weld, Corner Joint, Double-V-Groove Weld and Butt Joint (Metric) | 11•33 |
| Figure 11•32 | Double-V-Groove Weld, Single-Bevel-Groove Weld and Butt Joint (Metric) | 11•34 |
| Figure 11•33 | Single-Bevel-Groove Weld, T-Joint, Corner Joint and Butt Joint (Metric) | 11•35 |
| Figure 11•34 | Single-Bevel-Groove Weld, T-Joint, Corner Joint, Double-Bevel-Groove Weld and Butt Joint (Metric) | 11•36 |
| Figure 11•35 | Double-Bevel-Groove Weld, Butt Joint, T-Joint and Corner Joint (Metric) | 11•37 |
| Figure 11•36 | Single-U-Groove Weld, Butt Joint, Corner Joint and Double-U-Groove Weld (Metric) | 11•38 |
| Figure 11•37 | Single-J-Groove Weld, Butt Joint, T-Joint and Corner Joint (Metric) | 11•39 |
| Figure 11•38 | Double-J-Groove Weld, Butt Joint, T-Joint and Corner Joint (Metric) | 11•40 |

Section Twelve

Surveying

| | | |
|------------|--|------|
| § 12•1 | Three-Wire Leveling Method | 12•3 |
| § 12•2 | Stadia Measurements | 12•4 |
| Table 12•1 | Horizontal Corrections for Stadia Intercept 1.00 ft | 12•5 |
| Table 12•2 | Vertical Heights for Stadia Intercept 1.00 ft | 12•6 |

| | | |
|-------------|--|-------|
| § 12•3 | Setting Off Magnetic Declination | 12•7 |
| Table 12•3 | Conversion of Time to Arc | 12•8 |
| Table 12•4 | Temperature Correction for Steel Tape | 12•9 |
| § 12•4 | Correction for Meridian Convergence | 12•10 |
| § 12•5 | Correction for Slope | 12•10 |
| § 12•6 | Correction for Curvature and Refraction in Leveling | 12•10 |
| § 12•7 | Probable Error | 12•10 |
| Figure 12•1 | Spherical Geometry | 12•11 |
| Figure 12•2 | True Altitude = Measured Altitude - Refraction + Parallax | 12•12 |
| Figure 12•3 | LTC Chart | 12•13 |
| Figure 12•4 | Northern Sky | 12•14 |
| Figure 12•5 | Star Chart | 12•15 |
| Figure 12•6 | Chordal Height and Length of Chord | 12•16 |
| Figure 12•7 | Arc Length Versus Central Angle | 12•17 |
| § 12•8 | Important Facts about Land Descriptions | 12•18 |
| Figure 12•8 | Standard Map Symbols | 12•22 |
| Table 12•5 | Equipment Checklist | 12•23 |

Section Thirteen

Drainage

| | | |
|--------------|---|-------|
| Figure 13•1 | Map of the United States Showing 2-Year, 30-Minute Rainfall Intensity | 13•2 |
| Figure 13•2 | Fifteen-Minute Rainfall, in Inches, to be Expected Once in 2 Years | 13•3 |
| Figure 13•3 | Fifteen-Minute Rainfall, in Inches, to be Expected Once in 5 Years | 13•4 |
| Figure 13•4 | Rainfall Intensity for Various Durations and Return Periods | 13•5 |
| Figure 13•5 | Subface Drainage: (a) Ground-Water Drainage Curves; (b) Percolation Path | 13•6 |
| Figure 13•6 | Runoff Diagram for Subsurface Drainage | 13•7 |
| Figure 13•7 | Open Channel Chart | 13•8 |
| Figure 13•8 | Head Loss/Discharge Chart | 13•9 |
| Figure 13•9 | Headwater Depth for Circular Pipe Culverts with Beveled Ring Inlet Control | 13•10 |
| Figure 13•10 | Head for Standard Corrugated Steel Pipe Culverts; Flowing Full—Outlet Control | 13•11 |
| Figure 13•11 | Head for Structural Plate Corrugated Steel Pipe Culverts; Flowing Full—Outlet Control | 13•12 |
| Figure 13•12 | Headwater Depth for Corrugated Steel Pipe-Arch Culverts with Inlet Control | 13•13 |

| | | |
|--------------|--|-------|
| Table 13•1 | Shapes and Uses of Corrugated Conduits | 13•14 |
| Figure 13•13 | Cross-Sectional Comparison of Steel-Pipe and Pipe-Arch | 13•15 |
| Figure 13•14 | Height-of-Cover Limits for Structural Plate Pipe-Arch | 13•16 |
| Figure 13•15 | Sizes and Layout Details: Structural Plate Steel Pipe-Arches | 13•17 |
| Table 13•2 | Height-of-Cover Limits for Corrugated Steel Pipe-Arch | 13•18 |
| Table 13•3 | Height-of-Cover Limits for Structural Plate Pipe-Arch | 13•19 |
| Table 13•4 | Design Details of Corrugated Steel Pipe-Arches | 13•20 |
| Figure 13•16 | Structural Plate Steel Underpasses: Sizes and Layout Details | 13•21 |
| Figure 13•17 | Sectional Properties of Corrugated Steel Plates | 13•22 |
| Table 13•5 | Full-Flow Data for Corrugated Steel Pipe-Arches | 13•23 |
| Table 13•6 | Part Circle Corrugated Steel Culverts: Minimum Thickness, Weights, and Dimensions | 13•24 |
| Figure 13•18 | Galvanized Steel End Sections for Round Pipe: Dimensions and Details | 13•25 |
| Figure 13•19 | Galvanized Steel End Sections for Pipe-Arch: Dimensions and Details | 13•26 |
| Table 13•7 | Height-of-Cover Limits for Structural Plate Pipe | 13•27 |
| Figure 13•20 | Highway and Railway Live Loads | 13•28 |
| Figure 13•21 | Combined H-20 Highway Live Load and Dead Load Is a Minimum at About 5 Feet of Cover, Applied Through a Pavement 1 Foot Thick | 13•29 |
| Table 13•8 | Cross-Sectional Areas for Drop-Inlet Culverts | 13•30 |
| Figure 13•22 | Ultimate Wall Stress for Corrugated Steel Pipe with Compacted Backfill | 13•31 |
| Figure 13•23 | Standard Catch-Basin Detail | 13•32 |
| Figure 13•24 | Typical Inlet Installation with Curb and Gutter | 13•33 |
| Figure 13•25 | Typical Standard Crosswalk | 13•34 |

Section Fourteen

Streets and Roads

| | | |
|-------------|---|------|
| Figure 14•1 | Typical Rural Roadway Cross-Section | 14•2 |
| Figure 14•2 | Typical Municipal Street Cross-Section | 14•3 |
| Figure 14•3 | Typical Railroad Match Detail | 14•3 |
| Figure 14•4 | Typical Standard Crosswalk - "T" Intersection | 14•4 |
| Figure 14•5 | Ramp Detail at Radius of Concrete Curb and Gutter | 14•4 |

Bạn đang có trong tay thông tin cơ bản của một trong số những tài liệu có hàm lượng chất xám cao, với những thông tin vô cùng hữu ích cho quá trình học tập và nghiên cứu của bản thân bạn !

Bạn đã và đang trải qua những ưu tư, trăn trở của bản thân mình trước biển kiến thức mênh mông vô hạn và đang tìm hướng đi cho riêng mình bằng việc biến kiến thức thành tài sản tri thức của riêng bạn !

Hãy để Thư viện trường Đại học Sư phạm Kỹ thuật Tp. HCM chia sẻ những khó khăn và trăn trở đó cùng bạn!

Hãy đến với Thư viện trường Đại học Sư phạm Kỹ thuật Tp. HCM để cùng nhau, chúng ta xây dựng vương quốc khoa học và trí tuệ của chính mình !

Cùng với bạn, Thư viện ĐH Sư phạm Kỹ thuật Tp. HCM mong ước góp phần duy trì và phát triển văn hóa đọc !




Hãy đến với chúng tôi - Thư viện trường Đại học Sư phạm Kỹ thuật Tp. HCM để cảm nhận, trải nghiệm và biến ước mơ khoa học của bạn thành hiện thực !

Hân hạnh được đón tiếp và phục vụ bạn tại
Số 1 – 3, Võ Văn Ngân, Phường Linh Chiểu, Quận Thủ Đức, Tp. HCM
ĐT: (08) 3896 9920 – Email: thuvienspkt@hcmute.edu.vn
<http://www.thuvienspkt.edu.vn> – <http://thuvien.hcmute.edu.vn>

Thông tin tài trợ!



A central writing area consisting of 18 horizontal dotted lines, providing a guide for text entry.



Bạn đang có trong tay thông tin cơ bản của một trong số những tài liệu có hàm lượng chất xám cao, với những thông tin vô cùng hữu ích cho quá trình học tập và nghiên cứu của bản thân bạn !

Bạn đã và đang trải qua những ưu tư, trăn trở của bản thân mình trước biển kiến thức mênh mông vô hạn và đang tìm hướng đi cho riêng mình bằng việc biến kiến thức thành tài sản tri thức của riêng bạn !

Hãy để Thư viện trường Đại học Sư phạm Kỹ thuật Tp. HCM chia sẻ những khó khăn và trăn trở đó cùng bạn!

Hãy đến với Thư viện trường Đại học Sư phạm Kỹ thuật Tp. HCM để cùng nhau, chúng ta xây dựng vương quốc khoa học và trí tuệ của chính mình !

Cùng với bạn, Thư viện ĐH Sư phạm Kỹ thuật Tp. HCM mong ước góp phần duy trì và phát triển văn hóa đọc !



Hãy đến với chúng tôi - Thư viện trường Đại học Sư phạm Kỹ thuật Tp. HCM để cảm nhận, trải nghiệm và biến ước mơ khoa học của bạn thành hiện thực !

Hân hạnh được đón tiếp và phục vụ bạn tại
Số 1 – 3, Võ Văn Ngân, Phường Linh Chiểu, Quận Thủ Đức, Tp. HCM
ĐT: (08) 3896 9920 – Email: thuvienspkt@hcmute.edu.vn
<http://www.thuvienspkt.edu.vn> – <http://thuvien.hcmute.edu.vn>

Thông tin tài trợ!



A series of horizontal dotted lines arranged in a central column, providing a space for writing. There are 18 lines in total, evenly spaced across the page.

